

## DEPENDENT RESURVEY OF PORTION OF E. BDY. T. 12 N., R. 29 E.

Chains

True Lines

Beginning at the original cor. of Tps. 12 N., Rs. 29 and 30 E., which is a redwood post, 6 in. sq., 12 in. above ground, firmly set, properly mkd. and witnessed, as described in the official record.

Alongside of old post,

Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground, for cor. of Tps. 12 N., Rs. 29 and 30 E., with brass cap mkd.

T12N  
R29E R30E  
S36 | S31  
S2  
T11NR29E  
1936

Deposit a qt. of broken glass at base of post.

Thence,

N. 0°10' E., on true line bet. secs. 31 and 36.

Over gently rolling land, through medium dense undergrowth; along gentle W. slope.

8.90 Wash, about 60 lks. wide and 5 ft. deep, drains W.

39.90 The original  $\frac{1}{4}$  sec. cor., which is a redwood post, 4 ins. sq., 20 ins. above ground, firmly set, properly mkd. and witnessed, as described in the official record.

Alongside of old post,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
S36 | S31  
1936

Deposit a qt. of charcoal at base of post.

Continue same line and measurement.

46.90 S. edge of wash, bears S. 80° W. and N. 75° E.

48.50 Center of wash, 10 ft. deep, drains S. 80° W. from N. 75° E.

50.00 N. edge of wash, bears S. 80° W. and N. 75° E.

63.80 Dry wash, 60 lks. wide, 10 ft. deep, drains S. 70° W. from N. 80° E.

79.80 The original cor. of secs. 25, 30, 31, and 36, which is a granite rock, 8x8x12 ins. above ground, firmly set, properly mkd. and witnessed, as described in the official record.

Alongside of old rock,