

319

SUBDIVISION OF T. 11 N., R. 30 E.

Chains	
	Continue asc. of 40 ft. over NE. slope.
42.40	Spur, slopes N. 2 chs., continue along broken N. slope.
53.80	Rocky spur, slopes S. 80° E., from S. 60° W., continue along NE. slope.
67.90	Main spur, slopes SE., continue along broken S. slope.
73.00	Small spur, slopes S., desc. 50 ft. over broken SW. slope.
76.20	Small drain, course S., asc. along a broken S. slope.
80.04	The cor. of secs. 1, 2, 11, and 12.
	Land, broken hilly to mountainous. Soil, shallow gravelly to rocky loam, 3rd rate. Undergrowth, shadscale, greasewood, rabbit brush. No timber. Grazing, poor.
	N. 0° 01' W., on true line bet. secs. 1 and 2.
	Over broken mountainous land thru scattering low undergrowth. Asc. 30 ft. over S. slope.
6.90	Spur, slopes E., asc. along a rocky E. slope.
11.00	Spur, slopes E. 5 chs. to end., desc. 80 ft. over N. slope.
14.50	Draw, drains E., asc. 280 ft. over broken S. slope.
26.85	Intersect the N. bdy. of Tp. at a point from which the cor. of secs. 31 and 32, T. 12 N.; R. 31 E., an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record, bears East, 16.84 chs. dist.
	At point of intersection,
	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground over a cross X, cut on solid rock at exact cor. point, and in a mound of stone 5 ft. base; to top of post, for closing cor. of secs. 1 and 2, with brass cap mkd.
	<div style="text-align: center;"> T12N R31E S 31 S2 S1 T11N R30E CC 1938 </div>
	Land, mountainous. Soil, shallow coarse rocky loam, 3rd rate. Undergrowth, shadscale, greasewood. No timber. Grazing, poor.
	From the Std. cor. of secs. 34 and 35 on the S. bdy. of the Tp., N. 0° 01' W., bet. secs. 34 and 35,
	Over broken hilly land thru medium dense low undergrowth. Asc. 100 ft. over S. slope.
10.00	Spur, slopes N. 80° W., desc. gradual N. slope.
13.00	Small draw, drains N. 80° W.