000	20 20 2	ALL PROPERTY AND A CONTRACT OF THE PARTY OF
-	Chains 80.00	The cor. of Ts. 14 and 15 N., R. 31 E., heretofore described.
		Land, broken hilly and rolling. Soil, gravelly to coarse rocky loam, 3d rate. Undergrowth, shadscale, sagebrush, greasewood, rabbit brush. No timber. Grazing, good.
		SUBDIVISION OF T. 14 N., R. 31 € E.
		I commence the subdivisional survey at the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp.,
		Thence,
		N. 0° 01' W., bet. secs. 35 and 36.
	•	Over rough mountainous land thru medium dense low undergrowth. Asc. 20 ft. over S. slope.
0.0000000000000000000000000000000000000	•40	Spur ridge, bears E. and W., desc. 310 ft. over broken N. slope.
	13.20	Spur, slopes NW.
The second second	20.60.	Head of draw, drains W., asc. 190 ft. over rocky SW. slope.
	28.00	Spur, slopes N. from S. 10° E.
	36.80	Leave spur, slopes NE., desc. 60 ft. over NW. slope.
200 0 10 2	40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground over a cross X cut at exact corner point on solid rock, and in a large mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
		S35 S36 1937
	*	Desc. 130 ft. over NW. slope.
	141.8°O	Head of draw, drains N. 60° W., asc. along W. slope.
3	47.90	Spur, slopes NW., desc. 200 ft. over abrupt N. slope.
	55•30	Base of rugged hills, bear NW. and E., continue over rolling land, desc. 110 ft.
	69.60	Draw, drains NW.
39	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for the cor. of secs. 25, 26, 35 and 36, with brass cap mkd.
		TlliN R31 ⋛E
377,750	A. 1 1 - 2	S26 S25
The second second		S35 S36
THE PERSON NAMED IN		1937
255-550	(x)	of stone, 3 ft. base, 2 ft. high, W. of cor.