SUBDIVISION OF TP. 11 N., R. 32 E.

	Chains 16.20	Spur projects S.; desc. 20 ft. over W. slope.
	18.30	Wash drains S.10°E.; asc. 80 ft. over E. slope.
	24.90	Spur projects S.20°E.; desc. 270 ft. to 40.90 ch. pt.; over W. slope.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the 4 sec. cor., with brass cap mkd:
	: O.	1 S 6 T
		1936
		of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
		Continue over W. slope.
•	40.90	Wash drains N.; asc. 120 ft. to 58.80 ch. pt.; asc. over SE. slope.
	43.30	Wash drains N.30°E:; continue ascent over SE. slope.
	58.80	Spur projects N. 4 shs. to end, from SW.; asc. 30 ft. along N. slope.
	61.80	Hill bears S.40°E and N.40°W.; desc. 20 ft. over SW. slope.
	82.00	Wash drains N.30°W. from S.; asc. 10 ft. to closing cor.; along slight N. slope.
-	83.40	Wash drains N.10°W. from S.20°W.
-	83.80	Intersect W. bdy. of Tp.
		Set an iron post, 3 ft. long; 2 ins. diam., 27 ins. in the ground, for the closing cor. of secs. 6 and 7, Tp. 11 N., R. 32 E.; with brass cap mkd.
		TIIN S12 R31E R32E 1936 raise a mound
-		of stone, 5 ft. base, $3\frac{1}{2}$ ft. high, E. of cor.
1		From point of intersection, the \(\frac{1}{4}\) sec. cor. of sec. 12, Tp. 11 N., R. 31 E., bears South, 18.64 chs. dist.
		Land, rolling hills. Soil, sandy to rocky; 3rd rate: Undergrowth, sage. Timber, none. Grazing, fair.
		From the cor. of secs. 5, 6, 7, and 8.
		N.0°03'W., on' true line, bet. secs. 5 and 6.
	•	Over rolling hils, thru medium dense undergrowth. Desc. 240 ft. to 23.60 ch. pt.; over N. slope.