

480

## INDEPENDENT RESURVEY OF THE N. BDY. OF T. 12 N., R. 32 E.

Chains											
5.50	Wash, drains S. 60° E.										
27.20	Wash, 1 ch. wide and 5 ft. deep, drains S. 60° E.										
40.00	N. 17 lks. from the tangent, Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.										
	$\frac{1}{4} \frac{S32}{S5}$ 1936										
	Deposit broken glass at base of post. This cor. is situated on the E. edge of a broad water course, drains S. 60° E.										
41.00	Broad water course, drains S. 60° E.										
48.00	Slope changes to NE.										
55.60	Wash, drains N. 60° E. about 8 ch. thence S. 60° E.										
64.00	Wash, drains S. 70° E. about 4 chs. to junction of main wash draining N. 60° E.										
72.00	Slope changes to SE. slope.										
80.00	N. 20 lks. from the tangent, Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 5, 6, 31, and 32, with brass cap mkd.										
	<table border="1"> <tr> <td>T13N</td> <td>R32E</td> </tr> <tr> <td>S31</td> <td>S32</td> </tr> <tr> <td>S6</td> <td>S5</td> </tr> <tr> <td>T12N</td> <td></td> </tr> <tr> <td colspan="2">1936</td> </tr> </table>	T13N	R32E	S31	S32	S6	S5	T12N		1936	
T13N	R32E										
S31	S32										
S6	S5										
T12N											
1936											
	raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. and deposit broken glass at base of post.										
	Land, rolling foothills. Soil, sandy, rocky; 3rd rate. Undergrowth, greasewood and shadscale. Timber, none. Grazing, poor.										
	West, bet. secs. 6 and 31, on a transit line describing the tangent, which bears S. 89°56.5' W.										
	Over rolling foothills, through medium dense undergrowth.										
8.00	Base of foothills, bears SE. and NW.										
13.70	Wash, drains S. 30° E.; asc. 70 ft.										
23.70	Spur, projects SE.; desc. 20 ft.										
27.50	Wash, drains SE.; asc. 30 ft.										
31.70	Spur, projects S. 60° E. about 10 chs. to end.										