

## SUBDIVISION OF T. 12 N., R. 32 E.

Chains									
	$\frac{1}{4} \frac{S7}{S18 \quad 1936}$								
42.00	Spur, projects N.; desc. over a W. slope to 48.40 ch. pt.								
44.00	Dry wash, drains N.								
48.40	Dry wash, from S. 30° W., drains N. 80° E. about 5 chs. to junction; asc. 90 ft. over an E. slope.								
55.90	Spur, projects N.; desc. 30 ft. over a W. slope to 59.80 ch. pt.								
58.00	Dry wash, from S., drains N. about 1 ch. to junction.								
59.80	Dry wash, drains NE. about 3 chs. to junction; asc. 60 ft. over an E. slope.								
67.40	Spur, projects N. 30° E. about 4 chs. to end; desc. 40 ft. over a W. slope.								
69.60	Dry wash, drains NE.; asc. 180 ft. over a broken SE. slope.								
79.04	Intersect the W. bdy. of the Tp. At the point of intersection,  Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to solid rock, and in a mound of stone 5 ft. base to top of post, for the closing cor. of secs. 7 and 18, T. 12 N., R. 32 E., with brass cap mkd.								
	<table> <tr> <td>T12N</td><td>R32E</td></tr> <tr> <td>R31½E</td><td>S7 C</td></tr> <tr> <td>S12</td><td>S18 C</td></tr> <tr> <td>1936</td><td></td></tr> </table>	T12N	R32E	R31½E	S7 C	S12	S18 C	1936	
T12N	R32E								
R31½E	S7 C								
S12	S18 C								
1936									
	From this point, the ¼ sec. cor. of sec. 12, T. 12 N., R. 31½ E., heretofore described, bears North 19.14 chs. dist.								
	Land, rough broken hills. Soil, rocky to gravelly; 3rd rate. Undergrowth, shadscale. Timber, none. Grazing, fair.								
	From the cor. of secs. 7, 8, 17, and 18. N. 0°03' W., bet. sec. 7 and 8. Along gently rolling E. slope through medium dense undergrowth.								
7.20	Dry wash, drains E.								
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for ¼ sec. cor., with brass cap mkd.								