

2ND STAN. PAR. S., S. BDY. OF TPS. 8 S., RS. 67 AND 68 E.

Chains 12.90	Main spur, projects SE.; desc. W. slope 235 ft.
40.10	Proportionate point, Set an iron post, 3 ft. long, 1 in. diam., over a cross (X) chiseled on solid rock, and in a mound of stone to top of post, for the reestablished standard $\frac{1}{4}$ sec. cor., with brass cap mkd. SC $\frac{1}{4}$ S35 1934 Desc. W. slope 80 ft.
42.63	Draw, drains S.; asc. E. slope 95 ft.
50.80	Rocky spur, projects SE.; desc. a W. slope 25 ft.
56.20	Draw, drains S. 10° E.; asc. E. slope 285 ft.
66.80	Spur, projects S.; desc. W. slope 30 ft.
69.60	Draw, drains S.; asc. 95 ft. over an E. slope.
74.80	Spur, projects S.; desc. 35 ft.
80.20	The original standard cor. of secs. 34 and 35, which is a lava rock, 18x12x6 ins., mkd. and witnessed as described in the official record. At point for cor., Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for the standard cor. of secs. 34 and 35, with brass cap mkd. SC T8S R68E S34 S35 1934 Deposit old stone cor. at base of post. Land, mountainous. Soil, rocky; 4th rate. Undergrowth, creosote and blackbrush. Timber, juniper and pinon.

SUBDIVISION OF T. 8 $\frac{1}{2}$ S., R. 68 E.

I begin the subdivisional survey at the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the Township, which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in Book "A" of this group.

N. 0°01' W., on a true line bet. secs. 35 and 36.

Over rolling foothills, through medium dense undergrowth; asc. 35 ft. along E. slope of a rocky spur projecting S., about 10 chs. W. of line.