· SUBDIVISION OF T. 8½ S., R. 68 E.

Chains	
39.40	Same spur as at 8.10 ch. point, projects S. 20° W. from NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
July 82	es described and sold groot, and include an armore and armore and armore and armore and armore and armore armore and armore and armore
	S34 S35
	of stone, 3 ft. base, l_{2}^{1} ft. high, W. of cor.
	Desc. a NW. slope 140 ft.
55.90	Deep canyon, drains S. 15° W.; asc. along E. slope 110 ft.
61.42	Intersect the Second Standard Parallel South.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for the closing cor. of secs. 34 and 35, with brass cap mkd.
40	T8SR68E SSL SSR COLV.
	S34 S35
	T8 ≟ S
a a	C C 1934
Street & C	From the point of intersection, the standard cor. of secs. 34 and 35, T. 8 S., R. 68 E., hereinbefore described, bears S. 89°43' E., 10.83 chs. dist.
	From the same point, the standard 4 sec. cor. of sec. 34, hereinafter described, bears N. 89°43' W., 28.88 chs. dist.
.com ke .ere as	Land, mountainous. Soil, gravelly to rocky; 3rd rate. Undergrowth, blackbrush, creosote, sagebrush, cacti. No timber.
. Moro , is Ro visc	Thence, from the cor. of secs. 3, 4, 33, and 34, on the S. bdy. of the township, which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed, as described in Book "A" of this group.
odd co.	N. 0°02' W., on true line bet. secs. 33 and 34.
isin .n.	Over mountainous land, through scattering undergrowth; asc. 26 ft. along top of spur projecting S.
4:30	Leave spur, projects S. from N. 20° W.; desc. 40 ft. along a NE. slope.
5.80	Base of slope to NE.; asc. 18 ft. along a general E. slope.
14.80	Wash, drains S. 5° E. from N. 30° W.; asc. 110 ft. along base of W. slope.
35.00	Same wash, drains SW.; asc. 38 ft.