

SUBDIVISION OF T. 8½ S., R. 68 E.

From same cor. the standard $\frac{1}{4}$ sec. cor. of sec. 31, R. 68 E., which is an iron post, 1 in. diam., mkd. and witnessed as described in the official record, bears N. 89° 57' E., 10.85 chs. dist. I build a large mound of stone around the cor. and alter the markings on the brass cap by adding SC and 1934.

At a point 80.00 chs. departure West of the closing cor. of secs. 31 and 32, heretofore described,

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, and in a mound of stone to top, for the cor. of lots 4 and 5 of sec. 31, with brass cap mkd.

5 | 4

S31

T8½S R68E

1934

deposit a limestone, 8x8x6 ins., mkd. with a cross (X) at base of post.

From this cor. the standard cor. of Tps. 8 S., Rs. 67 and 68 E., heretofore described, bears N. 89° 51' E., 10.69 chs. dist.

From same cor. the closing cor. of Tps. 8½ S., R. 68 E. and Tp. 9 S., R. 67 E., which is an iron post, 3 ins. diam., mkd. and witnessed as described in Book "A" this group, bears S. 89° 51' W., 16.14 chs. dist.

Establishment of the $\frac{1}{4}$ sec. cor. on the W. bdy. of sec. 31.

At a point 40.00 chs. in latitude North of the closing cor. of Tps. 8½ and 9 S., R. 68 E., which is an iron post 2 ins. diam., mkd. and witnessed as described in Book "A" this group,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 31, with brass cap mkd.

$\frac{1}{4}$

S31

1934

raise a mound of stone, 3 ft. base, 1½ ft. high, E. of cor.

From this cor. the closing cor. of T. 8½ S., R. 68 E. and T9 S., R. 67 E., described in Book "A" this group, bears N. 0° 07' W., 21.20 chs. dist.

From same cor. the $\frac{1}{4}$ sec. cor. of sec. 1, T. 9 S., R. 67 E., which is an iron post, 1 in. diam., mkd. and witnessed as described in Book "A" this group, bears, S. 0° 07' E., 16.57 chs. dist.