

## SUBDIVISION OF T. 9 S., R. 68 E.

Chains

49.70 Wash, drains SW. from N.; desc. 205 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for the cor. of lots 7 and 8 of sec. 7, and lots 1 and 2 of sec. 18, with brass cap mkd.

T9SR68E  
S7

7	8
2	1

S18

1934

raise a mound  
of stone, 4 ft. base, 2½ ft. high, N. of cor.

Continue to desc. 135 ft. over rolling lands.

95.76 Intersect the E. bdy. of T. 9 S., R. 67 E.

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for the closing cor. of secs. 7 and 18, with brass cap mkd.

T9S

R67E

R68E

S7 C

S13

S18 C

1934

raise a mound  
of stone 3 ft. base, 1½ ft. high E. of cor.

From the point of intersection, the ¼ sec. cor. of sec. 13, T. 9 S., R. 67 E., hereinafter described, bears North, 23.12 chs. dist.

From the same point, the cor. of secs. 13 and 24, T. 9 S., R. 67 E., bears South, 17.12 chs. dist.

Land, rolling.

Soil, sandy to gravelly clay; 2nd rate.

Undergrowth, black brush, creosote and cacti. Grass.

No timber.

From the cor. of secs. 7, 8, 17, and 18.

N. 0° 03' W., bet. secs. 7 and 8.

Over mountainous land, through medium dense undergrowth;  
desc. NW. slope 57 ft.

18.30 Wash, drains SW.; ascend 34 ft.

24.30 Top of right bank of wash, bears NE. and SW.

28.90 Top of left bank of wash, bears NE. and SW.; desc. 30 ft.

31.50 Wash, drains SW.; ascend 30 ft.