## . SUBDIVISION OF T. 9 S., R. 68 E.

D .	Chains	
	81.60	Wash, drains S. 20° W.
	95.74	Intersect the E. bdy. of T. 9 S., R. 67 E.
		Set an iron post, 3 ft. long, 2 ins. diam., 32 ins. in the ground, for the closing cor. of secs. 6 and 7, with brass cap mkd.
	na Ira	R67E R68E  S12   S6 C
	Dio Lage.	1934 of stone, 3 ft. base, $l\frac{1}{2}$ ft. high, E. of cor.
		From the point of intersection, the ½ sec. cor. of sec. 12, T. 9 S., R. 67 E., hereinafter described, bears N. 0° 14' W., 23.32 chs. dist.
		From this same point, the cor. of secs. 12 and 13, T. 9 S., R. 67 E., bears S. 0° 14' E., 16.74 chs. dist.
*	-	Land, rolling. Soil, sandy to gravelly clay; 3rd rate. Undergrowth, black brush, sage brush, creosote and cacti. Native grasses. No timber.
18	FRE LESS	. 12
	40.00	N. 0° 05' E., on a random line bet. secs. 5 and 6.  Set temp. ½ sec. cor.
	80.04	Intersect the N. bdy. of the Tp., 12 lks. E. of the cor.
	Starow	of secs. 5, 6, 31, and 32, hereinbefore described,
		Thence
	3.75.1	South, on true line bet. secs. 5 and 6 Over rolling land, through medium dense undergrowth; desc.
		40 ft. to the 1 sec. cor.
2	10.00	Wash, drains www.
	19.00	Wash, drains NW.
	40.04	Set an iron post, 3 ft. long, 1 ind diam., 18 ins. in the ground, and in a mound of stone to top, for \$ sec. cor., with brass cap mkd.
9		S6 S5 1934
		Descend 150 ft. to sec. cor.
	48.60	Wash, drains SW.
	68.10	Wash, drains SW.
-		