Chains	North, bet. secs. 1 and 6.
	Over rolling land.
0.50 8.00	Ascend 190 ft. Wash, drains NW. for 2 chs., then SW: Wash, drains SW.
13.00	Spur, slopes W., desc. 185 ft.
34.00	Wash, 3 ft. deep, 20 lks. wide, drains NW. for 3 chs., then N. for 2 chs., thence W., asc. 12 ft.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6.
•	Set an iron post, 36 ins. long, 2 ins. diam., 32 ins. in the ground, with brass cap mkd.
	$s \mid \int_{-1}^{\frac{1}{4}} s \mid 6$
	1953
7	raise a mound of stone, $2\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.
	This cor. is on S. side of small wash, draining W. for 1.20 chs., thence S. Ascend 100 ft.
44.00	Top of ridge, bears E. and W., desc. 110 ft. over general NW. slope to cor.
55.00	Wash, drains NW.
59.00	Wash, drains W. into above.
65.00	Wash, drains NW.
69.00	Wash, drains W., into above.
80.00	Point for the cor. of Ts. 11 & 12 S., Rs. 70 and 71 E.
<i>y</i>	Set an iron post, 36 ins. long, 2 ins. diam., 32 ins. in the ground, with brass cap mkd.
	T 11 S R 70 E R 71 E S 36  S 31 S 1  S 6 T 12 S 1953
	dig a circular trench, 5 ft. diam., and raise a mound of earth around the post to top.
	Deposit a limestone, 2x2x3 ins., mkd. with a cross (+) at the base of the post.  Geographic position; latitude 36°55'49" N., longitude 114°06'33" W.  Land, rolling.  Soil, sandy loam.  Timber, none, undergrowth, sagebrush, greasewood and cacti.