

SUBDIVISION OF T. 9 S., R. 71 E.

Chains

T 8 $\frac{1}{2}$ S.
R 71 E
S 34
CC ——— UTAH
S 3
T 9 S
1953

From this point the 287th Mi. cor. on the Nevada-Utah State line bears S. 0° 05' E., 3.46 chs. dist.

Land, broken hills.

Soil, rocky.

Undergrowth, joshua, sagebrush, greasewood and cacti.

SUBDIVISION OF T. 9 S., R. 71 E.

Beginning the subdivisional survey at the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp.; described in the field notes of T. 10 S., R. 71 E., surveyed under this assignment.

N. 0° 01' E., bet. secs. 31 and 32.

Over gently rolling desert land.

1.20 Side channel, drains S. 60° E.

3.80 Right bank of main wash, drains S. 70° E.

5.70 Left bank of main wash. Ascend 20 ft. to $\frac{1}{4}$ sec. cor.

36.40 Wash, drains N. 80° E.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, with brass cap mkd.

$\frac{1}{4}$
S 31 | S 32
1953

Ascend 60 ft.

44.70 Wash, drains SE.

66.50 Wash, drains S. 75° E.

70.00 Wash, drains E.

75.30 Wash, drains S. 70° E.

78.00 Broad spur, S. 80° E. Descend 10 ft.

80.00 Point for the cor. of secs. 29, 30, 31 and 32.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam. 22 ins. in the ground and in a mound of stone to top, with brass cap mkd.

T 9 S R 71 E
S 30 | S 29
S 31 | S 32
1953