

Survey of the Subdivision of T. 19 N., R. 53 E.

Chains

40.59 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, at 40.00 chs. easting from the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 24 ins. high, with brass cap mkd.

$$\frac{1}{4} \begin{array}{r} S 1 \\ S 12 \\ 1935 \end{array}$$

No auxiliary accessory.

Asc. 15 ft. over NE. slope.

47.50 Unimproved road, bears N. 25° E. and S. 55° W. and follows along top of bench; desc. 20 ft. over a NW. slope.

64.80 Wash, course N. 5° W.; asc. 5 ft.

70.50 Wash, course N.; asc. 10 ft. along a N. slope.

80.59 The cor. of secs. 1, 2, 11 and 12.

Land, rolling mountainous.

Soil, shallow, light sand and clay, with decomposed limestone and loose lava rock on surface.

Undergrowth, sagebrush, rabbit brush, and a good growth of native grasses; timber, scrub pinon and juniper.

N. 0° 01' W., bet. secs. 1 and 2.

Over rolling mountainous land, through scattering timber and dense undergrowth; desc. 70 ft. along a N. slope.

33.89 Intersect the S. bdy. of sec. 35, T. 20 N., R. 53 E. at point for closing cor. of secs. 1 and 2.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 4x4x8 ins., mkd. X, deposited at the base, and in a mound of stone, 2½ ft. base, 18 ins. high, with brass cap mkd.

$$\begin{array}{r} T20N R53E \\ S35 \\ \hline S2 | S1 \\ T19N R53E \\ C C \\ 1935 \end{array}$$

from which

A juniper, 4 ins. diam., bears S. 61° 45' E., 25 lks. dist., mkd. CC S1 BT.

A juniper, 4 ins. diam., bears S. 45° 45' W., 179 lks. dist., mkd. CC S2 BT.

The cor. of secs. 35 and 36, T. 20 N., R. 53 E., which is monumented with an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record, bears East, 0.72 chs. dist.