

## Dependent Resurvey of the 6th Standard Parallel N., Thru Range 68 E.

Chains

 $\frac{1}{4}$  S32 SC BT.

A fir, 5 ins. diam., bears N. 28° W., 28 lks. dist., mkd.  
 $\frac{1}{4}$  S32 SC BT.

50.70

Spur, slopes N.; desc. 80 ft. over a W. slope.

60.00

Draw, drains NE.; asc. 280 ft. over a SE. slope.

69.00

Spur, slopes N. 30° E.; desc. slightly over a NW. slope.

72.50

Draw, drains N. 30° E.; asc. 120 ft. over a rocky NE. slope.

80.02

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base to top, for the standard cor. of secs. 31 and 32, with brass cap mkd.

S C

T31N	R68E
S31	S32

1938

from which

A juniper, 10 ins. diam., bears N. 40° E., 18 lks. dist., mkd. T31N R68E S32 SC BT.

A mahogany, 4 ins. diam., bears N. 10° W., 36 lks. dist., mkd. T31N R68E S31 SC BT.

Land, rough mountainous.

Soil, rocky clay; 4th rate, unworkable.

Timber, fir, pine, cedar, juniper and mahogany; undergrowth, sagebrush, snowberry, and native mountain weeds and grasses.

Grazing, fair.

N. 88° 43' W., on true line along the S. bdy. of sec. 31.

Asc. 72 ft. over rolling mountainous land, on a NE. slope, thru dense timber and scattering undergrowth.

1.00

Top of low spur, projects N. 80° E.

10.30

Spur, slopes N. 15° E.; desc. 150 ft. over a NW. slope.

24.70

Draw, drains N.; asc. 100 ft. over an E. slope.

29.50

Spur, slopes N.; desc. 570 ft. over a NW. slope.

37.40

Limestone outcrop, slopes N. 35° W.

40.01

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, to bedrock and in a mound of stone, 4 ft. base to top, for the stan.  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S C

$\frac{1}{4}$ S 31
1938

from which

A pine, 12 ins. diam., bears N. 61 $\frac{1}{2}$ ° E., 35 lks. dist. mkd.  $\frac{1}{4}$  S31 SC BT.

A pine, 18 ins. diam., bears N. 23° W., 39 lks. dist., mkd.  $\frac{1}{4}$  S31 SC BT.

51.00

Shallow draw, drains N. 30° W.; desc. 100 ft. along a N. slope.