

Subdivision of T. 31 N., R. 68 E.

Chains

At midpoint on the west bdy. of sec. 7,

Set an iron post, 3 ft. long, 1 inch diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor. of sec. 7, T. 31 N., R. 68 E., with brass cap mkd.

| $\frac{1}{4}$
S 7
1939

raise a mound
of stone, 2 ft. base, 2 ft. high, E. of corner.

From this cor., the $\frac{1}{4}$ sec. cor. on E. bdy. of sec. 12, T. 31 N., R. 67 E., bears N. $0^{\circ} 11'$ E., 14.96 chs. dist.

At point on the west bdy. of sec. 6, 40 chains in latitude N. from the closing cor. of secs. 6, and 7,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor. of sec. 6, T. 31 N., R. 68 E., with brass cap mkd.

| $\frac{1}{4}$ S 6
1939

raise a mound
of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, E. of corner.

From this cor., the $\frac{1}{4}$ sec. cor. on E. bdy. sec. 1, T. 31 N., R. 67 E., bears N. $0^{\circ} 11'$ E., 15.94 chs. dist.

From the cor. of secs. 5, 6, 7 and 8.

North, on a random line bet. secs. 5 and 6.

40.00. Set temp. $\frac{1}{4}$ sec. cor..

80.18 Intersect the N. bdy. of the Tp., 42 lks. E. of the cor. of secs. 5, 6, 31 and 32, an iron post, 2 ins. diam., 9 ins. above ground, mkd. and witnessed as described in the field notes of the survey of T. 32 N., R. 68 E.

Thence

S. $0^{\circ} 18'$ E., on true line bet. secs. 5 and 6.

Asc. 50 ft. over mountainous land, on a N. slope, thru scattering timber and undergrowth.

4.00 Low spur, slopes NW.

7.80 Drain, course NW.; asc. 30 ft. over a N. slope.

11.00 Spur, slopes NW.; desc. slightly over a SW. slope.

14.90 Drain, course NW.; asc. 570 ft. over a N. slope.

32.90 Spur, slopes N. 70° W.; desc. 430 ft. over a SW. slope.

40.18 Set an iron post, 3 ft. long, 1 in. diam., on a cross (X) on bed-rock, with entire length in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S6 | S5
1939