

WEST BOUNDARY OF T. 27 N., R. 55 E.

Chains

of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, rolling.
Soil, rocky, sandy, alkaline clay; 3d rate.
Timber, scattering juniper; undergrowth, sagebrush.
Grazing, fair.

North, on true line, bet. secs. 1 and 6.

Desc. 20 ft. over rolling land, on a N. slope, thru scattering undergrowth.

11.50 Draw, drains N. 75° E.; asc. 20 ft. over a S. slope.

20.00 Spur, slopes N. 70° E.; desc. slightly over a N. slope.

33.10 Drain, course N. 70° E.; over broken land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S1 | S6
1939

of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. raise a mound

44.10 Road, bears N. 75° E. and S. 85° W.

49.00 Draw, drains N. 75° E.; asc. 40 ft. over a S. slope.

61.00 Top of ascent, bears E. and W.; desc. 30 ft. over a N. slope.

75.20 Draw, drains E.; over broken land.

77.76 Intersect the S. bdy. of T. 28 N., R. 55 E.

Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground, for the closing cor. for Tps. 27 N., Rs. 54 and 55 E., with brass cap mkd.

T28N R55E
S31

S1 | S6
R54E | R55E

T27N

CC

1939

of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor. raise a mound

From this point the cor. for Tps. 28 N., Rs. 54 and 55 E., bears $S.89^\circ 39' W.$, 5.20 chs. dist.; an iron post, 3 ins. diam., 8 ins. above ground, mkd. and witnessed, as described in the official record.

Land, rolling.
Soil, rocky, sandy, alkaline clay; 3d rate.
No timber; undergrowth, sagebrush.
Grazing, fair.

DEPENDENT RESURVEY OF SUBDIVISIONAL LINES T. 27 N., R. 55 E.

Reestablishment of lines surveyed by Hatch and Snyles in 1872,