

## SUBDIVISION OF T. 28 N., R. 55 E.

## Chains

At mid-point on the N. bdy. of sec. 5,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the  $\frac{1}{4}$  sec. cor. for sec. 5, with brass cap mkd.

$\frac{1}{4}$  S 5

1939

raise a mound

of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

From this cor., the  $\frac{1}{4}$  sec. cor. on the S. bdy. of sec. 32, T. 29 N., R. 55 E., bears S.  $89^{\circ} 38' W.$ , 9.45 chs. dist.

At a point on the N. bdy. of sec. 6, 40.00 chs. in departure from the NE. cor. thereof,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor. of sec. 6, with brass cap mkd.

$\frac{1}{4}$  S 6

1939

raise a mound

of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

From this cor., the  $\frac{1}{4}$  sec. cor. on the S. bdy. of sec. 31, T. 29 N., R. 55 E., bears S.  $89^{\circ} 38' W.$ , 9.28 chs. dist.

At a point on the N. bdy. of sec. 6, 80.00 chs. in departure from the NE. cor. thereof,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the cor. of lots 4 and 5, sec. 6, with brass cap mkd.

$\frac{5}{4}$  S 6

1939

raise a mound

of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

From this cor., the cor. of tps. 28 and 29 N., R. 55 E., bears S.  $89^{\circ} 38' W.$ , 7.53 chs. dist.

#### Final Test of Solar Attachment

At the completion of this survey, August 26, 1939, the solar attachment of Buff and Buff transit, serial No. 9210 was tested upon the meridian described on page 1 of these notes and found to be in satisfactory adjustment.

#### General Description

This portion of township 28 north, range 55 east, is situated about 10 miles SW. of Jiggs, Nevada; and is entered by a graded road from Jiggs. The land is gently rolling, draining easterly to Huntington Creek, a flowing stream about 10 lks. wide.

The soil is a sandy, rocky clay, 3d rate, and suitable for the growing of forage crops.