


Chains

N. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, to bedrock, with a granite stone, 4x3x2 ins. marked X, deposited at base, and in a mound of stone to top, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd.



of stone, 3 ft. base, 2  $\frac{1}{2}$  ft. high, N. of cor. raise a mound


58.00

Leave N., slope, bears E. and W.; desc. 80 ft. over a W. slope.

77.93

Intersect the W. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for the closing cor. for secs. 7 and 18, with brass cap mkd.



of stone, 2 ft. base, 1  $\frac{1}{2}$  ft. high, E. of cor. raise a mound

From this point the cor. of secs. 12 and 13, T. 4 N., R. 64 E., hereinbefore described, bears North, 6.44 chs. dist.

Land, rolling.

Soil, sandy, gravelly clay, 3rd rate.

Timber, juniper and cedar; undergrowth, sagebrush and 2nd growth cedar and juniper.

From the cor. of secs. 7, 8, 17 and 18, N. 0° 03' W., bet. secs. 7 and 8.

Desc. slightly over rolling land, on a NE. slope, thru scattering timber and undergrowth.

2.00

Wash, shallow, course NW.; continue to desc. 20 ft. over a NW. slope.

11.00


Spur, slopes N. 80° W.; desc. 70 ft. over a NW. slope.

32.30

Wash, 10 lks. wide, course N. 80° W.; asc. 10 ft. over a SW. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd.



from which

A juniper, 3 ins. diam., bears S. 27° E., 228 lks. dist., mkd.  $\frac{1}{4}$  S8 BT.

A juniper, 5 ins. diam., bears S. 28  $\frac{3}{4}$ ° W., 105