

COMPLETING SUBDIVISION OF T. 44 N., R. 32 E.

Chains	
	N. $89^{\circ} 55'$ W., on true line, bet. secs. 7 and 18.
	Desc. 100 ft. over mountainous land, on a W. slope, thru medium dense undergrowth.
7.80	Ravine, drains S. 10° E., asc. 100 ft. over an E. slope.
14.20	Top of ascent, bears N. and S., desc. 60 ft. over a W. slope.
19.50	Ravine, drains S. 20° E., asc. 40 ft. over an E. slope.
26.60	Top of ascent, bears N. and S., over rolling land.
38.20	Leave rolling land, bears N. and S., desc. 20 ft. over a W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, to bedrock and in a mound of stone to top, for the $\frac{1}{2}$ sec. cor., with brass cap marked

S 7

 $\frac{1}{4}$ —

S 18

1936

Continue to desc. 330 ft. over a W. slope.

54.20	Bottom of canyon, drains S. 10° W., from NE., asc. 150 ft. over a SE. slope.
65.50	Spur, slopes S., slopes S. 10 chs., thence SW., desc. 190 ft. over a SW. slope.
80.48	Intersect the W. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for the closing cor. of secs. 7 and 18, with brass cap marked.

T 44 N T 44 N
R 32 E

R 31 E

S 13

S 7

C C

S 18

1936

raise a mound of stone, 3 ft. base, 3 ft. high, E. of cor.

From point of intersection the cor. of secs. 12 and 13, T. 44 N., R. 31 E., described on page 13, these notes, bears N. $0^{\circ} 58'$ W., 4.40 chs. dist.From same point the $\frac{1}{2}$ sec. cor. for sec. 13, only, T. 44 N., R. 31 E., described on page 12, these notes bears S. $0^{\circ} 58'$ E., 36.74 chs. dist.

Land, mountainous.

Soil, rocky, 3d rate.

No timber.

Undergrowth, sagebrush, shadscale and bunch grass.

Grazing, fair.