SURVEY OF THE E. BDY. OF T. 45 N., R. 32 E.

	Chains	
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, with a lava stone, 1x2x1 ins., mkd. X, deposited at base, and in a mound of stone to top, for 4 sec. cor., with brass cap mkd.
•	. 1 p. 200	\$12 \int \frac{1}{2} \text{ s7}
	44.70	Spur, slopes E., desc. 450 ft. over general NE. slope.
	56.40	Sidehill drain, course NE., continue descent of NE. slope.
	73.90	Wash, trickle of water, course E., asc. 110 ft. over S. slope, changing to E. slope.
	80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.
	4	T45N R32E R33E S 1 S 6 S12 S 7
		1938 raise a mound
	~ и	of stone, 2 ft. base, l_{2}^{1} ft. high, W. of cor.
		Land, mountainous. Soil, rocky, 4th rate. No timber; undergrowth, sagebrush. Grazing, fairly good.
nar	2008/23 Ave 22 12 Kinds	
	•	North, bet. secs. 1 and 6.
		Along E. slope, thru sagebrush.
	10.00	Spur, slopes E., desc. 150 ft. over N. slope.
	17.60	Wash, course E., asc. 80 ft. over S. slope, changing to SE. slope.
	25.00	Thence, desc. 30 ft. along E. slope.
	37.20	Wash, course SE., asc. 250 ft. over SW. slope, changing to S. slope.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
		sı s6
	* **	1938 raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
	56.00	Minor ridge, bears N. 80° W. and S. 60° E., desc. 450 ft. over N. slope.
	78.80	Junction of washes, trickle of water, from N. 70° W. and N. 30° W., course E.
	80.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 8 and 9, of sec. 1, with brass cap mkd.
		S1 8 56 1938 raise a mound