

DEPENDENT RESURVEY OF THE E. BDY. OF T. 45 N., R. 31 E.

Chains

Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground to solid rock, with a basalt rock, 3x5x6 ins., mkd. X, deposited at the base, and in a large mound of stone, for cor. of secs. 1 and 12 only, with brass cap mkd.

T45N T45N
R31E R32E
S 1 S 6
S12
1939

Land, mountainous.
Soil, shallow coarse rocky loam, 3rd and 4th rate.
No timber.
Undergrowth, sagebrush, buck brush.
Grazing, fair to good.

N. 0° 24' E., along the E. bdy. of Sec. 1,

Over mountainous land through dense undergrowth. Asc. 110 ft. over SW. slope gradually changing to W.

22.50 Spur ridge, bears S. 40° E. and N., asc. along crest of ridge.

31.00 Spur ridge turns irregularly to the W., desc. along E. slope.

37.20 Spur ridge, bears S. 10° W. and N. 30° E. approximately 8 chs. to saddle. Desc. 20 ft. along NW. slope.

39.81 Proportionate distance,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for 1/4 sec. cor. of sec. 1 only, with brass cap mkd.

1/4 S 1
1939

raise a mound
of stone, 3 ft. base, 2 ft. high, W. of cor.

Desc. 50 ft. along NW. slope.

47.70 Slope changes to a broken W. slope, asc. 120 ft.

80.52 Point for the NE. cor. of T. 45 N., R. 31 E. at record course and distance from the Std. SE. cor. of T. 46 N., R. 31 E.

Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for the NE. cor. of T. 45 N., R. 31 E., with brass cap mkd.

T45N
R32E
S 6

S 1
T45N
R31E

1939

raise a mound
of stone, 4 ft. base, 2 1/2 ft. high, SW. of cor.

From this cor., the Std. SE. cor. of T. 46 N., R. 31 E., bears West, 13.28 chs. distant; an iron post, 3 ins. diam., firmly set, mkd. and witnessed as described in the official record.

Land, mountainous.
Soil, coarse rocky loam, 3rd and 4th rate.
No timber.