

RESURVEY OF THE 9TH STAN. PAR. N., THRU T. 46 N., R. 32 E.

Chains	Grazing; good.
	West, along the S. bdy. of sec. 31, on a transit line describing the secant, which bears S. 89° 58.5' W.
	Asc. 120 ft. over northerly slope changing to northeast.
6.00	Divide bet. Bilk and Deep Creeks, bears NW. and SE.; desc. 80 ft. along southerly slope.
21.50	Asc. 250 ft. along southerly slope.
30.20	Head of ravine, course S. 20° E., continue ascent along southerly slope.
40.00	N. 2 lks. from the secant.
	Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, over a X mkd. on underlying rock, and in a mound of stone to top, for std. $\frac{1}{4}$ sec. cor., with brass cap mkd.
	SC $\frac{1}{4}$ S31 1938
	Independent Resurvey of a portion of the S. bdy. of T. 46 N., R. 32 E., superseding the survey executed by G. W. Garside & C. S. Preble, U. S. Deputy Surveyors, in 1875 under contract No. 67.
	West, with continuous measurement along southerly slope.
45.30	Divide, bears SW. and NE. sloping to the SW.; desc. 820 ft. over abrupt NW. slope.
74.60	Junction of ravines, from north and northeast, course S. 25° W., over rolling to broken land.
80.00	N. 4 lks. from the secant.
	Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock with stone 6x4x6 ins., mkd. X, deposited at base, and in a mound of stone to top, for cor. of lots 14 and 15, sec. 31, with brass cap mkd.
	SC S31 14 15 1938
91.20	N. 4 lks. from the secant.
	Intersect the E. bdy. of T. 46 N., R. 31 E.
	Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground to underlying rock, with a lava stone, 8x6x3 ins., mkd. X, deposited at the base, and in a mound of stone to top, for standard closing corner of T. 46 N., R. 32 E., with brass cap mkd.