	Chains	N. 89°57' W., bet. secs. 7 and 18.
•		Desc. slightly along S. slope.
	5.50	Minor drain, course S.; along S. slope.
	10.50	Minor drain, course S.; asc. 250 ft. over SE. slope.
	24.20	Spur, slopes S.; desc. 50 ft. over SW. slope.
	28.24	A point, 40.00 chs. in departure from the cor. of secs. 7 and 8.
		Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for \(\frac{1}{4} \) sec. cor. with brass cap mkd.
		½ S7
		1938
	THE THE PARTY OF T	raise a mound of stone, 2 ft. base, $l^{\frac{1}{2}}$ ft. high, N. of cor.
	31.00	Wash, course generally S.; asc. 225 ft. over SE. slope.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 4 sec. cor., with brass cap mkd.
		1938
	8	raise a mound of stone, 2 ft. base, 12 ft. high, S. of cor.
	46.30	Divide bet. Bilk Creek and Wilder Creek, slopes S. 60°
		W.; desc. 290 ft. along crest of spur, slopes w.
	67.80	Spurs, slope SW. and NW.; desc. 190 ft. over W. slope.
	68.24	A point, 80.00 chs. in departure from the cor. of secs. 7 and 8.
		Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 7 and 8, sec. 7, with brass cap mkd.
		\$7
		7 8
		1938 raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
	76.50	Head of drain, course SW.; along S. slope.
	80.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
		the ground, for cor. of lots 5 and 6, sec. 18, with brass cap mkd.
		615
		S18 1938 raise a mound
		of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.
	80.50	Desc. 210 ft. over SW. slope changing to W. slope.
	89.42	Intersect the W. bdy. of the Tp.
		Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in