COMPLETION OF THE SUBDIVISIONAL LINES IN T. 26 N., R. 25 E.

Chains	dig pits,
	18x18x12 ins., E. and W. of post, 3 ft. dist.
55.90	Drain, course S. 75° E., asc. 80 ft. over gentle E. slope.
79.88	The cor. of secs. 19, 20, 29 and 30.
	Land, rolling. Soil, gravelly loam; 3d rate. Undergrowth, sagebrush. No timber. Grazing, good.
	N. 89° 55' W., on true line bet. secs. 19 and 30.
	Over rolling E. slope thru dense undergrowth. Asc. 360 ft.
27.70	Slope changes from E. to a broken SE. slope.
36.50	Spur, slopes SE., desc. along broken W. slope.
39.80	Head of small drain, course S. 40° E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	s 19
	1/4
	s 30 1938
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
	Asc. 160 ft. over SE. slope.
49.70	Main divide, bears N. and S., desc. 370 ft. over broken W. slope.
65.30	Ravine, drains SW., asc. along SE. slope.
67.40	Slope changes from SE. to a broken SW., desc. 80 ft. to cor.
79.53	Intersect the W. bdy. of Tp.
17.00	
	At point of intersection,
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 19 and 30, with brass cap mkd.
	T26N T26N
	R2LE R25E S 19
	$s 2l_4 \left \frac{s 19}{s 30} cc \right $
	1938 raise a mound
	of stone, 3 ft. base, $l_{\overline{z}}^{\frac{1}{2}}$ ft. high, E. of cor.
	From this closing cor., the cor. of secs. 24 and 25, previously described, bears South, 80 lks. distant.
	Land, broken mountainous to rolling foothills. Soil, shallow rocky loam to fine gravelly loam; 2nd and 3d rates. Undergrowth, sagebrush, rabbitbrush. No timber.
	Grazing, good.
7	