

COMPLETION OF THE SUBDIVISIONAL LINES IN T. 26 N., R. 25 E.

Chains 34.20	Draw, drains S. 65° E.
37.90	Draw drains, S. 65° E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> S 6 $\frac{1}{4}$ ——— S 7 1938 </div> <div style="text-align: right;">raise a mound</div> of stone, 3 ft. base, 2 ft. high, N. of cor.
46.20	Head of draw, drains N. 60° E., asc. along NE. slope.
51.10	Main divide, bears N. and S. Desc. 170 ft. over a broken NW. slope.
79.00	Intersect the W. bdy. of Tp. At point of intersection, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground for closing cor. of secs. 6 and 7, with brass cap mkd. <div style="text-align: center;"> T26N T26N R24E R25E S 1 S 6 ——— CC S 7 1938 </div> <div style="text-align: right;">raise a mound</div> of stone, 3 ft. base, 2 ft. high, N. of cor. Impracticable to build a mound E. of corner. From this closing cor., The cor. of secs. 1 and 12, previously described, bears south, 75 lks. distant. Land, broken mountainous. Soil, shallow gravelly to rocky loam; 3d rate. Undergrowth, sagebrush, rabbitbrush. No timber. Grazing, good.
	At mid-point on the W. bdy. of sec. 7, Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to solid rock and in a supporting mound of stone, for the $\frac{1}{4}$ sec. cor. of sec. 7 only, with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S 7 1938 </div> From this cor. the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 12 bears South 0.75 chs. dist.
	At a point on the W. bdy. of sec. 6; 40 chs. N. of the SW. cor. thereof,