

SUBDIVISION OF T. 30 N., R. 26 E., M.D.M.

Chains	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. Asc. slightly.
43.00	Sidehill spur, slopes SW.; desc. 90 ft. over SW. slope.
54.20	Ravine, course S. to SW.; asc. 15 ft.
56.60	Sidehill spur, slopes SW.; desc. 50 ft.
65.00	Foot of hills, bears NW. and SE., desc. 60 ft. over a gradual W. slope.
71.70	Wash, course S. 60° W.
79.98	The cor. of secs. 1, 2, 11 and 12. Land, mountainous, sloping. Soil, rocky. Undergrowth, shadscale.
	N. 0° 01' W., bet. secs. 1 and 2. Over rolling desert land.
8.90	Wash, course W.
22.40	Road, bears N. 70° E. to Twin Buttes Mine and S. 70° W.
23.60	Wash, course S. 70° W.
26.00	Wash, course S. 70° W.
27.60	Wash, course S. 70° W.; asc. 25 ft.
28.30	Old road, bears S. 70° W. and N. 70° E. to Twin Buttes Mine.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ S\ 2\ \ S\ 1 \\ 1947 \end{array}$
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. From this cor. the center of S. end of House bears S. 56° 15' E., 34.71 chs. dist.
47.28	Intersect the 6th Standard Parallel North. Point for the closing cor. of secs. 1 and 2. Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd. $\begin{array}{cc} T31N & R26E \\ S & 36 \\ \hline S\ 2 & \ S\ 1 \\ T30N & R26E \\ CC \\ 1947 \end{array}$
	raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.