

SUBDIVISION OF T. 30 N., R. 26 E., M.D.M.

Chains	N. 0° 02' W., bet. secs. 2 and 3. Over gently rolling desert sloping SW. 1.20 Wash, course West. 14.70 Wash, course SW. 30.30 Wash, course SW. 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd. <div>$\frac{1}{4}$ S3 S2 1947</div> raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. 47.17 Intersect the 6th Standard Parallel North. Point for the closing cor. of secs. 2 and 3. Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd. <div>T31N R26E S 35 S 3 S 2 T30N R26E CC 1947</div> raise a mound of stone , 3 ft. base, 2 ft. high, S. of cor. From this cor. the standard cor. of secs. 34 and 35, T. 31 N., R. 26 E., which is monumented with an iron post, 2 ins. diam., set, mkd. and witnessed as described in the field notes of the Independent Resurvey of the 6th Stan. Par. N., through R. 26 E., bears West, 10.75 chs. dist. The point for the N. $\frac{1}{4}$ sec. cor. of sec. 2 is at midpoint and on the 6th Standard Parallel North. At the corner point Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd. <div>$\frac{1}{4}$ S 2 1947</div> raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor. From this cor., the standard $\frac{1}{4}$ sec. cor. of sec. 35, T. 31 N., R. 26 E., which is monumented with an iron post, 1 in. diam., set, mkd. and witnessed as described in the field notes of the Independent Resurvey of the 6th Stan. Par. N., through R. 26 E., bears West, 10.76 chs. dist.
--------	--