Subdivision of T. 30 N., R. 27 E.

Chains	
13.80	Wash, 5 lks. wide, course W.
29.40	Wash, 75 lks. wide, course S. 80° W.
34.00	Road, poor, bears N. 60° E. and S. 60° W.
40.00	Point for the ¼ sec. cor. of secs. 1 and 2.

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, with brass cap mkd.

<div align="center">

¼

S 2 | S 1

1949
</div>

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

47.51	Intersect the Sixth Standard Parallel North.

Point for the closing cor. of secs. 1 and 2.

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, with brass cap mkd.

<div align="center">

T31N R27E
S36

S 2 | S 1
T30N | R27E
CC
1949
</div>

raise a mound of stone, 4 ft. base, 2½ ft. high, S. of cor.

From the point of intersection the standard cor. of secs. 35 and 36, T. 31 N., R. 27 E., bears West, 2.30 chs. dist., and is monumented with an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the record of the 1947 resurvey of the Sixth Standard Parallel North through R. 27 E.

From the same point the standard ¼ sec. cor., S. bdy. sec. 36, T. 31 N., R. 27 E., bears East, 37.70 chs. dist., and is monumented with an iron post, 1 in. diam., firmly set, mkd. and witnessed as described in the record of the 1947 resurvey of the Sixth Standard Parallel North, through R. 27 E.

Land, rolling and broken.
Soil, sandy and rocky; 4th rate.
No timber; undergrowth, sage and desert brush.
Grazing, poor.

From the cor. of secs. 34 and 35, on the S. bdy. of the Tp., which is monumented with an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the 1938 record; in addition raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

1938 record

N. 0° 04' E., bet. secs. 34 and 35.

Over rolling land, through dense undergrowth.

5.70	Wash, 20 lks. wide, 5 ft. deep, course winding SE.; asc. gradually 50 ft. to ¼ sec. cor.
40.00	Point for the ¼ sec. cor. of secs. 34 and 35.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.