

INDEPENDENT RESURVEY, 4th STAN. PAR. S., THROUGH R. 67 E.

Chains

Independent Resurvey superseding the survey executed by R. H. Woods and W. H. Myrick, U. S. Deputy Surveyors, in 1881.

The standard corner of secs. 34 and 35, on the S. bdy. of T. 16 S., R. 67 E., is a limestone, 10x6x6 ins., mkd. 2 notches on E., 4 notches on W., and SC on N., set in a mound of stone. Mr. John Perkins, of Overton, Nevada, an old resident of the vicinity, stated that he knows that this corner has been in the same location for at least 20 years.

To further verify the location of this corner, I determine that the $\frac{1}{4}$ sec. cor., for secs. 34 and 35, T. 16 S., R. 67 E., a sandstone, 9x3x3 ins. above ground, mkd. $\frac{1}{4}$ on W. face, bears N. 0° 33' W., 39.93 chs. dist.; and the standard cor. of Tps. 16 S., Rs. 67 and 68 E., a limestone, 9x5x3 ins., mkd. 6 notches on E. N. and W. faces and SC on S. face, bears S. 89° 59' E., 161.16 chs. dist.

At the original cor. point for the standard cor. of secs. 34 and 35, on the S. bdy. of T. 16 S., R. 67 E.,

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, with the original corner stone deposited at the base, for the standard cor. of secs. 34 and 35, with brass cap mkd.

SC
T16SR67E
S34 | S35

1938

raise a mound

of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, N. of cor.

Thence

West, with the independent resurvey of the Fourth Standard Parallel South, along the S. bdy. of sec. 34, T. 16 S., R. 67 E., on a transit line describing the tangent.

Over broken desert land, through scattering undergrowth, descend over SW. slope.

6.80 Slope changes; desc. along broken S. slope.

30.90 Wash, 2 chs. wide, 8 ft. deep, 120 ft. below sec. cor., course S. 60° E.; asc. 80 ft. over broken NE. slope.

Diff. bet. meas. of 40.00 chs., by two sets of chainmen, is nothing.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., with brass cap mkd.

SC
S 34

1938

raise a mound

of stone, 3 ft. base, 2 ft. high, N. of cor.

Desc. 70 ft. along a broken general N. slope.

50.80 Wash, 1 ch. wide, 10 ft. deep, course N. 80° E.; asc. 300 ft. over broken general E. slope.