

## INDEPENDENT RESURVEY OF WEST BOUNDARY OF T. 20 S., R. 64 E.

## Chains


Timber, none.  
Undergrowth, shadscale and greasewood.  
Poor grazing land.

North, bet. secs. 1 and 6.

Over rolling desert land, through scattering undergrowth.

21.50 Wash, 15 lks. wide, 2 ft. deep, course S. 50° W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd.



of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound

52.30 Top of low knoll.

84.14 The cor. of Tps. 19 and 20 S., Rs. 63 and 64 E., an iron post, 3 ins. diam., firmly set, with brass cap mkd. and witnessed as described in the official record.

Land, rolling desert; general drainage and exposure SW.  
Soil, clay loam and gypsum; 4th rate.

Timber, none.

Undergrowth, shadscale and greasewood.

Poor grazing land.

## INDEPENDENT RESURVEY OF NORTH BOUNDARY OF T. 20 S., R. 64 E.

Independent Resurvey superseding the survey executed by W. H. Myrick, U. S. Deputy Surveyor, in 1882.

Beginning at the cor. of Tps. 19 and 20 S., Rs. 64 and 65 E., heretofore described, I sight North along the meridian established by Polaris observation and deflect an angle of 90° 00' to the left, I make four repetitions of the angle and the multiple angle reads 360° 00'.

Thence

West, bet. secs. 1 and 36, on a transit line describing the tangent.

Over desert hills, through scattering undergrowth, ascend 100 ft. over NE. slope.

8.10 Ridge, bears N. and S.; descend along broken S. slope.

17.00 Ravine, course SW.; continue along broken S. slope.

31.00 Spur, 100 ft. below ridge, slopes S. 70° W.; follow along N. slope.

39.00 Same spur, slopes N. 70° W.; descend 20 ft. over rocky SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to solid rock, with a sandstone, 8x8x4 ins.,