

Survey of the North Boundary of T. 3 S., R. 60 E.

Chains 80.00	Point for the cor. of secs. 3, 4, 33 and 34. Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap mkd.
	T2S R60E S33 S34 S4 S3 T3S 1958

Raise a mound of stone W. of the post.
Land, rolling bench.
Soil, gravelly to rocky clay loam.
Timber, none.
Undergrowth, sagebrush, rabbit brush, weeds and grass.

Survey of a Portion of the Subdivision, T. 3 S., R. 60 E.

	Beginning at the cor. of secs. 35 and 36, on the S. bdy. of the Tp.
	Thence N. $0^{\circ} 01'$ W., bet. secs. 35 and 36.
	Over rolling bottom land, through medium dense undergrowth.
.15	Barbed wire fence, bears E. and W.
20.50	Old road, bears NE. and SW.
28.30	Graded Nevada State Highway No. 38, bears N. 60° E. and S. 60° W.; asc. along a S. slope.
35.60	Wash, drains S. 10° E. from NW.; asc. along a SW. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, on a spur projecting SE.
	Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T3S R60E S35 S36 1958
	Raise a mound of stone W. of the post.
48.00	Spur, projects S. 30° E.; desc. along a NE. slope.
71.30	Wash, drains S. 20° E.; asc. along a SW. slope.
80.00	Point for the cor. of secs. 25, 26, 35 and 36.
	Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T3S R60E S26 S25 S35 S36 1958