

Dependent Resurvey, Portion of South Bdy., T. 20 S., R. 60 E.

Chains	<p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div>SC T20S R60E <u>S31 S32</u> S5 1954</div> <p>Bury the old corner stone alongside the iron post.</p> <p>Land, gently rolling. Soil, sand and gravel. Vegetation, scattered creosote bush, salt brush, and cactus.</p>
10.48	<p>S. $89^{\circ} 49'$ W., on the S. bdy. of sec. 31.</p> <p>Over gently rolling land, through sparse undergrowth.</p> <p>The closing corner of secs. 5 and 6, T. 21 S., R. 60 E., hereinafter described.</p>
40.515	<p>Point for the standard $\frac{1}{4}$ sec. cor. of sec. 31, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div>SC <u>$\frac{1}{4}$ S 31</u> 1955</div> <p>Raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.</p>
81.03	<p>The standard cor. of Ts. 20 S., Rs. 59 and 60 E., identified and restored by Cartographer Lewis in 1954, who found the corner point marked by a conglomerate stone, 14x12x9 ins., marked with 6 grooves on E., W., and N. faces, firmly set and surrounded by a low mound of stone, where he</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <div>SC T20S R59E R60E <u>S36 S31</u> S6 1954</div> <p>Bury the old corner stone alongside the iron post.</p> <p>From this corner, the closing cor. of Ts. 21 S., Rs. 59 and 60 E., bears S. $89^{\circ} 51'$ W., 8.02 chs. dist., hereinafter described.</p> <p>Land, gently rolling. Soil, sand and gravel. Vegetation, scattered creosote bush, salt brush, and cactus.</p>
	<p>Dependent Resurvey of the West Bdy., T. 21 S., R. 60 E.</p>
	<p>Reestablishment of the Survey Executed by Brunt and Proctor, Deputy Surveyors, in 1881.</p>