

## Dependent Resurvey, Portion of Subdivision, T. 45 N., R. 33 E.

Chains	
	From the cor. of secs. 1, 2, 11 and 12.
	N. 89° 14' W., bet. secs. 2 and 11.
	Over level cultivated land.
10.88	Barbed wire fence bears N. and S.
13.38	Telephone line bears N. 30° W. and S. 30° E.
40.23	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11, at proportionate dist.; there is no remaining evidence of the original cor.
	Set an iron post 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T45N R33E $\frac{1}{4}$ $\frac{S2}{S11}$ 1958
44.83	King River 8 ft. deep, 30 lks. wide, drains S. 30° E.
63.33	Barbed wire fence bears N. 25° W. and S. 25° E.
64.00	Secondary road, bears N. 25° W. and S. 25° E.
80.46	The cor. of secs. 2, 3, 10 and 11.
	Land, level. Soil, sandy loam. Vegetation, cultivated crops.
	N. 0° 45' E., bet. secs. 2 and 3.
	Over level cultivated land.
36.09	Barbed wire fence bears N. 24° 12' W. and S. 24° 12' E. with secondary road running parallel to fence.
40.61	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3, at proportionate dist.; there is no remaining evidence of the original cor.
	Set an iron post 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T45N R33E $\frac{1}{4}$ S 3   S 2 1958
	Through thick sagebrush.
45.88	Kings River 60 lks. wide, 6 ft. deep, drains S. 30° E.
53.78	Kings River 60 lks. wide, 6 ft. deep, drains S. 30° W.
55.28	Kings River 60 lks. wide, 6 ft. deep, drains S. 40° E.
67.63	Telephone line bears N. 40° W. and S. 40° E.
67.98	Ditch 15 lks. wide, 3 ft. deep, drains S. 40° E.
68.23	Secondary road bears N. 45° W. and S. 40° E.
81.59	Intersect the 9th Standard Parallel North, at proportionate distance.