Chains	From the cor. of secs. 3, 4, 9 and 10.
	N. 0° 24' E., bet. secs. 3 and 4.
	Over nearly level land, through thick sagebrush.
39.95	Point for the ½ sec. cor. of secs. 3 and 4, at proportionate dist.; there is no remaining evidence of the original cor.
	Set an iron post 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T45N R33E
	s 4 s 3 1958
48.15	Dry wash 15 1ks. wide, 2 ft. deep, drains E
54.15	Dry wash 20 1ks. wide, 3 ft. deep, drains E.
55.35	Unimproved road bears N. 5° W. and S. 5° E.
80.19	Intersect the 9th Standard Parallel North. Point for the closing conformation of secs. 3 and 4; there is no remaining evidence of the original conformation of th
The Walter	T46N R33E
	$\frac{\text{S34}}{\text{S} \text{ 4} \text{S} \text{ 3}}$
	T45N R33E
	C C
	From this point,
	The standard cor. of secs. 33 and 34 bears N. 89° 09' W., 6.29 chs. dist.
	Land, nearly level. Soil, sandy loam. Vegetation, thick sagebrush.
	The point for the N. ½ sec. cor. of sec. 3 is at midpoint on the N. bdy. of the sec.
	At the cor. point,
	Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground with brass cap mkd.
	½ S 3
	T45N R33E 1958
	From this cor. the standard ½ sec. cor. of sec. 34, T. 46 N., R. 33 E., bears N. 89° 09' W., 6.45 chs. dist.

Desc. 30 ft. over N. slope, through sagebrush.