

Independent Resurvey of Subdivisional Lines, T. 25 S., R. 62 E.

Chains	<p>Raise a mound of stone, 3½ ft. base, 2½ ft. high, N. of cor.</p> <p>Cont. ascent; asc. 102 ft. over gradual SE. slope.</p> <p>64.00 Cont. ascent; asc. 172 ft. over steep rocky E. slope.</p> <p>80.00 Point for the 1/16 sec. cor. of secs. 7 and 18.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 2 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd.</p> <div><div>T25S R62E</div><div>1/16 S 7 80.00</div><div>S18</div><div>1958</div></div> <p>Cont. ascent; asc. 178 ft. over steep rocky SE. slope.</p> <p>85.00 Top of rocky spur, slopes SSW.; desc. 88 ft. over SW. slope.</p> <p>91.80 Bottom of descent; begin ascent; asc. 41 ft. over SE. slope.</p> <p>98.68 Intersect the E. bdy. of sec. 13, T. 25 S., R. 61 E. and point for the closing cor. of secs. 7 and 18 on the W. bdy. of the Tp.</p> <p>At the cor. point</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 3 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd.</p> <div><div>T25S</div><div>R62E</div><div>R61E S7 C</div><div>S13 S18 C</div><div>1958</div></div> <p>From this cor. the cor. of secs. 12 and 13, T. 25 S., R. 61 E., hereinbefore described, bears N. 0° 17' W., 1.53 chs. dist.</p> <p>Land, E.½ nearly level, W.½ gently rolling.</p> <p>Soil, sandy and gravelly, stony.</p> <p>Timber, none.</p> <p>Undergrowth, cactus and creosote bush.</p>
	<p>The point for the ¼ sec. cor. of sec. 18 on the W. bdy. of the Tp. is at midpoint bet. the closing cor. of secs. 18 and 19 and the closing cor. of secs. 7 and 18.</p> <p>At the cor. point</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd.</p> <div><div>T25S</div><div>R62E</div><div>R61E ¼</div><div>S18</div><div>1958</div></div> <p>From this cor. the ¼ sec. cor. of sec. 13, T. 25 S., R. 61 E., hereinbefore described, bears N. 3° 57' E., 29.3 lks. dist.</p>