

## Independent Resurvey of Subdivisional Lines, T. 25 S., R. 62 E.

Chains	
	Cont. over nearly level land; asc. 108 ft. over gradual SE. slope.
52.00	Wash, 60 lks. wide, 7 ft. deep, drains SE.
60.80	Wash, 30 lks. wide, 3 ft. deep, drains SE.
80.04	The cor. of secs. 5, 6, 7 and 8.
	Land, nearly level. Soil, sandy and gravelly, stony. Timber, none. Undergrowth, cactus, yucca and creosote bush.
	West, bet. secs. 6 and 7.
	Over nearly level land, through scattered undergrowth; asc. 125 ft. over gradual SE. slope.
11.90	Wash, 40 lks. wide, 4 ft. deep, drains SE.
22.70	Wash, 60 lks. wide, 5 ft. deep, drains SE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7. Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd. <div style="text-align: center;">T25S R62E <math>\frac{1}{4}</math> <math>\frac{S6}{S7}</math> 1958</div>
	Cont. over slightly rolling land, through scattered undergrowth; asc. 30 ft. over gradual SE. slope.
42.00	Wash, 25 lks. wide, 10 ft. deep, drains SE.
57.70	Wash, 30 lks. wide, 6 ft. deep, drains SE.; asc. 210 ft. over steep SE. slope.
80.00	Point for the $\frac{1}{16}$ sec. cor. of secs. 6 and 7. Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 4 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd. <div style="text-align: center;">T25S R62E <math>\frac{1}{16}</math> <math>\frac{S6}{S7}</math> 80.00 1958</div>
	Cont. ascent; asc. 307 ft. along steep, broken SE. slope.
99.02	Intersect the E. bdy. of sec. 12, T. 25 S., R. 61 E. and point for the closing cor. of secs. 6 and 7 on the W. bdy. of the Tp. At the cor. point Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground to solid rock, in a mound of stone to top, with brass cap mkd. <div style="text-align: center;">T25S R61E   R62E S12   <math>\frac{S6}{S7}</math> C 1958</div>