

Independent Resurvey, Subdivision, T. 17 S., R. 65 E.

Chains	
	<p style="text-align: center;">T17S R65E $\frac{1}{4}$ $\frac{S9}{S16}$ 1959</p> <p>Raise a mound of stone, $3\frac{1}{2}$ ft. base, 24 ins. high, N. of cor.</p>
46.70	Small wash, drains N.
49.80	Wash, 2 ft. deep, 40 lks. wide, drains N.
80.04	The cor. of secs. 8, 9, 16 and 17.
	<p>Land, nearly level. Soil, shallow, gravelly. Timber, none.</p>
	<p>N. $0^{\circ} 03'$ W., bet. secs. 8 and 9, over nearly level land; desc. 40 ft.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 9.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T17S R65E $\frac{1}{4}$ $\frac{S8}{S9}$ 1959</p>
	<p>Raise a mound of stone, $3\frac{1}{2}$ ft. base, 24 ins. high, W. of cor.</p> <p>Desc. 15 ft. over NW. slope.</p>
69.41	Intersect Fourth Standard Parallel South.
69.41	<p>Point for the closing cor. of secs. 8 and 9, T. 17 S., R. 65 E.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T16S R65E $\frac{S32}{S8 S9}$ T17S 1959</p>
	<p>Raise a mound of stone, $3\frac{1}{2}$ ft. base, 24 ins. high, S. of cor.</p> <p>From the closing cor. of secs. 8 and 9, T. 17 S., R. 65 E., the standard $\frac{1}{4}$ cor. on the S. bdy. of sec. 32, T. 16 S., R. 65 E., bears E. 28.21 chs. dist., an iron post 1 in. diam., set, mkd. and witnessed as recorded in the official record.</p> <p>From this same cor., the standard sec. cor. of secs. 31 and 32, T. 16 S., R. 65 E., bears W. 11.79 chs. dist., an iron post, 2 ins. diam., set, mkd. and witnessed as recorded in the official record.</p> <p>Land, nearly level. Soil, shallow, gravelly. Timber, none.</p>
	<p>At midpoint bet. the closing cor. of secs. 8 and 9, and the closing cor. of secs. 9 and 10, T. 17 S., R. 65 E., set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>