

Independent Resurvey of Subdivisional Lines of T. 17 S., R. 67 E.

Chains 3.85 37.25 40.00  57.70 63.80 73.50 77.80 81.51	<p>Sandstone spur, slopes SE.; desc. 270 ft. over rocky NE. slope.</p> <p>Kaolin Wash, 40 lks. wide, 10 ft. deep, drains E.; asc. 30 ft. over S. slope.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 5.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 10 ins. in the ground to solid rock, in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T17S R67E <math>\frac{1}{4}</math> S5 S4 1959</p> <p>Asc. 300 ft. over ledgy SW. slope.</p> <p>SW. edge of butte, bears irregularly NW. and SE.; thence over rolling land.</p> <p>NE. edge of butte, bears NW. and SE.; desc. 110 ft. over ledgy NE. slope.</p> <p>Head of cove, drains SE.; asc. 120 ft. over ledgy SW. slope.</p> <p>Spur, slopes E.; desc. 140 ft. over ledgy N. slope.</p> <p>Intersect the Fourth Standard Parallel South.</p> <p>True point for the closing cor. of secs. 4 and 5 falls on face of E. facing ledge where it is impractical to set the monument.</p> <p>Thence East .30 chs. dist.</p> <p>Point selected for the witness closing cor. of secs. 4 and 5.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 14 ins. in the ground to solid rock, in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T16S R67E W S32 C C C S5 S4 T17S R67E 1959</p> <p>From the true point for the closing cor. of secs. 4 and 5, the standard cor. of secs. 32 and 33, mkd. by an iron post, 2 ins. diam., conforming to the record, bears E. 18.27 chs. dist.</p> <p>Land, broken. Soil, rocky, sandy silt. Timber, none. Undergrowth, white sagebrush, mountain rush and cacti.</p> <hr/> <p>The point for the N. <math>\frac{1}{2}</math> sec. cor. of sec. 4 is at midpoint and on the N. bdy. of the Tp. (Fourth Standard Parallel South).</p> <p>At the cor. point</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 20 ins. in the ground to solid rock, in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T16S <math>\frac{1}{4}</math> S4 T17S R67E 1959</p>
---	--