

Dependent Resurvey, Subdivision, T. 25 N., R. 42 E.

Chains

56.00 Secondary road, bears N. 10° E. and S. 10° W.

80.96 The cor. of secs. 3, 4, 9 and 10.

Land, nearly level.

Soil, loam.

Vegetation, sagebrush and shadscale.

N. 0° 51' E., bet. secs. 3 and 4.

Over nearly level land, through sagebrush and shadscale.

40.39 The $\frac{1}{2}$ sec. cor. of secs. 3 and 4, mkd. by an unmarked rock, 8x6x4 ins., firmly set, with signs of old pits on E., W., N. and S.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T25N R42E

 $\frac{1}{2}$

S 4 | S 3

1959

Bury old cor. stone alongside iron post.

Thence

N. 4° 01' E., beginning new measurement.

19.55 Intersect the Fifth Standard Parallel North, point for closing cor. of sections 13 and 14, at proportionate dist. in E. and W. direction; there is no remaining evidence of the original closing cor. Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T26N R42E

S34

S 4 | S 3

C C

T25N R42E

1959

From this point, the orig. standard $\frac{1}{2}$ sec. cor. of sec. 34, T. 26 N., R. 42 E., which is now an angle point, bears S. 89° 51' E., 4.53 chs.

Land, nearly level.

Soil, loam.

Vegetation, sagebrush and shadscale.

The point for the $\frac{1}{2}$ sec. cor. of sec. 3 is at midpoint, and on the N. bdy. of the Tp.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{2}$ S 3

T25N R42E

1959