

CHAINS

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T43N R29E
 $\frac{1}{4}$ — $\frac{S 8}{S 17}$
 1962

Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
 Desc. 40 feet over SE. slope.

45.29 Intersect the W. bdy. of sec. 30, T. 44 N., R. 30 E.

Point for the closing corner of secs. 8 and 17.

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T43N T44N
 R29E R30E
 $\frac{S 8C}{S 17C}$ | S 30
 1962

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 from which:

Seep spring, bears S. 70° 54' W., 11.94 chs. dist.

Seep spring, bears S. 41° 07' W., 22.26 chs. dist.

From point of intersection, the ¼ sec. cor. of sec. 30, T. 44 N., R. 30 E. monumented with an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record, bears south, 15.68 chs. dist.

Remarked brass cap to read

$\frac{1}{4}$
 | S 30
 1918

From the same point, the cor. of secs. 19 and 30, T. 44 N., R. 30 E., monumented with an iron post, 2 ins. diam. set, mkd. and witnessed as described in the official record, bears north (distance not determined). Remarked brass cap to read

T43N T44N
 R29E R30E
 S 8 | $\frac{S 19}{S 30}$
 1918

Land, mountainous.
 Soil, rocky sandy clay.
 Undergrowth, sagebrush and native grasses.

The point for the ¼ sec. cor. of sec. 17 is at midpoint and on the W. bdy. of T. 44N, R. 30 E.

At the corner point

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins.