4

Township 45 North, Range 31 East Chains Time 5h53mlOs p.m., P.S.T. 91° 22' 1° 19' S. 89° 57' W. Horizontal angle to flag on random line to West Azimuth of Polaris Reduced bearing of flag Time 6h03m07s p.m., P.S.T. 101° 58' Horizontal angle to reference point on skyline 1° 18' Azimuth of Polaris 79° 20' W. Reduced bearing of R. P. 10°35½' (S. 89° 55½' W.) Angle bet. R. P. and flag Reestablishment of the Corner of Sections 19, 24, 25 and 30, Ts. 45 N., Rs. 30 and 31 E.

This Corner Was Originally Established by Garside and Preble, Deputy Surveyors, in 1874.

The cor. of secs. 19, 24, 25 and 30, Ts. 45 N., Rs. 30 and 31 E. was found to be monumented with a squared stake, firmly set in a mound of earth, with distinct outline of old pits N., S., E. and W.

At the corner point

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with brass cap mkd.

> T45N R30E R31E S24 S19 S25 S30 1939

Deposit the old post alongside and raise a flat mound of stone around the iron post.

From this corner, the cor. of secs. 23, 24, 25 and 26, T. 45 N., R. 30 E. bears S. 88° 32' W., 81.41 chs. dist., and is monumented with an iron post, 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1921 Group 82 resurvey.

Retracement and Partial Reestablishment of a Portion of the South Boundary of T. 45 N., R. 31 E.

> This Line Was Originally Established by Garside and Preble, Deputy Surveyors, in 1875.

From the cor. of Ts. 44 and 45 N., R. 31 E., which is monumented with an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.

S. 71° 53' W., bet. secs. 1 and 36.

34.86

The \( \frac{1}{4} \) sec. cor. of secs. 1 and 36, monumented with a lava stone, 5x7x12 ins., mkd.  $\frac{1}{4}$  on one face and set in a mound of stone.

I rehabilitate this corner by repairing and enlarging the surrounding mound of stone.

S. 88° 25' W., beginning new measurement.