

RESURVEY OF E. BDY. T. 20 S., R. 69 E.

Chains

39.55 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, to bedrock, and in a mound of stone with a granite stone 8x6x3 ins. mkd. X, deposited at base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S1 | S6
1939

Desc. 160 ft. over general SE. slope.

47.60 Wash, course SW. Asc. 75 ft. over NW. slope.

54.00 Spur, slopes SW. Desc. 205 ft. over SW. slope changing to S.

76.40 Wash, 1 ch. wide, course W. Asc. 45 ft. over N. slope.

78.30 Spur, slopes W.; desc. slightly along W. to SW. slope.

79.55 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, to bedrock and in a mound of stone to top, with a granite stone 10x8x6 ins., mkd. X, deposited at base, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T20S
R69E | R70E
S 1 | S 6

S 12 | S 7
1939

Land, mountainous.

Soil, rocky and gravelly and 3d rate.

No timber; undergrowth, joshua trees, black brush, creosote, yucca and mesquite.

Grazing, poor to fair.

South, bet. secs. 7 and 12.

Desc. gradually over SW. slope.

2.30 Wash 50 lks. wide, course N. 70° W. Asc. 230 ft. over N. slope changing to general NE. slope.

23.00 Sidehill drain, course N. 30° E.; continue to asc. 310 ft. over general NE. slope to $\frac{1}{4}$ sec. cor.

36.00 Sidehill drain, course N. 70° E.; continue to asc. general NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S12 | S7
1939

raise a mound
of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

From $\frac{1}{4}$ sec. cor., asc. 390 ft. to top of ridge.

55.70 Ridge, bears W. and S. 65° E.; desc. 290 ft. over general S. slope.

67.00 Drain, course W.; asc. 300 ft. over N. slope, changing to NW.

79.10 Shoulder of mountain slopes W.; desc. 20 ft. to sec. cor. over