370

Chains 59.90	Wash, course S. 60° W.; asc. 70 ft. along a broken westerly slope.
76.90	Desc. 20 ft. along general W. slope to sec. cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.
	T20S
	R69E R70E s 25 s 30
	s 36 s 31
	1939
	raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, rough mountainous, granite formation. Soil, rocky, 4th rate.
	No timber; undergrewth, black brush, catclaw and mountain rush.
	Grazing, fair.
	South, bet. secs. 36 and 31.
. 20.3	Along general W. slope.
13.90	Spur, projects N. 70° W. Asc. 70 ft. over rolling land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.
	1
	s ₃₆ s ₃₁
	1939
	raise a mound
	of stone, 2 ft. base, 1 ft. high, W. of cor.
	South, Dat. rear. 36 and 31.
	with the state of
	Asc. 20 ft. over rolling land.
55.10	Divide bears NE. and SW.; along general E. slope.
67.20	U.S.C.&G.S. station "Bonelli" a standard brass tablet, bears N. 83° 9' W. Desc. 60 ft. over broken SE. slope.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for matand. cor. of Tps. 20 and 21 S., Rs. 69 and 70 E., with brass can mkd.
	cap mkd.
	SC T2OS R69E R7OE
	C 76 C 71
	the second secon
	1939 raise a mound
	of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
	The geodetic position of this corner as determined by computation from the U.S.C.&G.S. station "Bonelli" is, latitude 36° 8.7' N. and longitude, 114° 13.5' W.
	Land, rolling hills and mountainous. Soil, rocky and 3rd rate. Timber, none.
	A OFF