

EAST BOUNDARY T. 21 S., R. 70 E.

Chains

Grazing, poor.

South, bet. secs. 7 and 12.

Asc. 30 ft. over NE. slope changing to E. slope.

10.90 Minor ridge, bears E. and W., desc. 50 ft. along W. slope.

17.50 Desc. 45 ft. over SW. slope.

18.35 Intersect full flow line (1229 ft. contour) of Lake Mead.

Set an iron post, 3 ft. long, 1 in. diam., 13 ins. in the ground, to bedrock, with a granite stone 6x5x4 ins., mkd X deposited at base, and in a mound of stone to top, for witness point with brass cap mkd.

W P
S12 | S7
1939

22.90 Intersect water level of Lake Mead at date of this survey.

Land, rolling to rough mountainous.
Soil, rocky; 4th rate.
No timber; Undergrowth; creosote and black brush.
Grazing, poor.

SURVEY OF THE WEST BOUNDARY OF T. 21 S., R. 70 E.

From the standard corner of Tps. 20 and 21 S., Rs. 69 and 70 E., hereinbefore described,

South, bet. Sec. 1, T. 21 S., R. 69 E. and Sec. 6, T. 21 S., R. 70 E.

Desc. along broken E. slope.

7.00 Spur, slopes S. 60° E., desc. 400 ft. over broken S. slope.

23.40 Wash, from N. 30° W., course N. 70° E., asc. 200 ft. over broken NW. slope.

30.00 Ridge, bears N. 60° E. and S. 60° W., desc. 50 ft. along E. slope.

37.10 Wash, course S. 60° E., asc. 270 ft. over broken NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S1 | S6
1939

raised a mound
of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

52.70 Spur, slopes S. 80° E., along broken E. slope.

56.30 Spur, slopes SE., desc. 390 ft. over broken SW. slope.