East Boundary of T. 40 N., R. 34 E.

Chains 40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, with a quart of charcoal deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

1940

No suitable accessory.

52.97

Intersect the 8th Standard Parallel N.

Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground, for closing cor. of Tps. 40 N., Rs. 34 and 35 E., with brass cap mkd.

raise a mound

of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

From this cor., the standard cor. of Tps. 41 N., Rs. 34 and 35 E., hereinafter described, bears S. 89° 44' E., 20.40 chs. dist.

From same cor., the standard cor. of secs. 35 and 36, T. 41 N., R. 34 E., bears N. 89° 44° W., 59.75 chs. dist.; a red cedar post, 1 in. sq., 12 ins. above ground, mkd. S. with other scribe marks illegible.

At cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, with the original cor. post deposited at base, for standard cor. of secs. 35 and 36, with brass cap mkd.

Land, nearly level.
Soil, sandy, alkaline clay, 3d rate.
No timber, undergrowth, sagebrush and greasewood.
Grazing, fair.

DEPENDENT RESURVEY OF THE 8TH STAN. PAR. N. THROUGH R. 35 E.

"Reestablishment of the surveys executed by O. A. Palmer, Deputy Surveyor, in 1868."

From the standard cor. of T. 41 N., R. 35 E., hereinbefore described.

S. 87° 11' W., along the S. bdy. of sec. 36.

Over rolling land, thru scattering undergrowth.

5.21 The closing cor. of Tps. 40 N., Rs. 35 and 36 E., hereinbeforedes-cribed.