

DEPENDENT RESURVEY OF A PORTION OF THE FIRST STANDARD PARALLEL SOUTH,
North Bounrary of T. 5 S., R. 37 E., M. D. M., California.

Chains

This now becomes point for Cor. No. 1 of Tract 39.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground,
with brass cap marked

T4S R36E
AP 1 | S 35
TR 39 |
1953

Raise a flat mound of stone, 3 ft. base, around post to top.

62.57

The closing cor. of Tps. 4 and 5 S., R. 37 E., on the Von Schmidt State line; described in the field notes of the portion of the Von Schmidt State line retraced under this assignment. Corner evidence is now removed.

Land, nearly level bottom land of Fish Lake Valley.
Soil, alkaline clayloam, sand and gravel, 2d rate.
Undergrowth, greasewood, soapweed, sagebrush, etc.

DEPENDENT RESURVEY OF PORTION OF SUBDIVISIONAL LINES, T. 5 S., R. 37 E.

Reestablishment of surveys executed by N. L.
Berdan, Deputy Surveyor, in 1880.

The cor. of secs. 8, 9, 16, and 17, monumented with a length of mine rail track, 18 ins. above ground, firmly set in a mound of earth. There is no other evidence of the original corner, but this remonumentation appears to have been in existance for more than 30 years and is accepted as the best available evidence of the original corner.

At the corner point

Set an iron post, 30 ins. long, 2 ins. diam., 24 ins. in the ground,
with brass cap marked

T5S R37E
S 8 | S 9
S 17 | S 16
1953

Deposit the length of mine rail track alongside the iron post,
and raise a flat mound of stone, 3 ft. base, around post to top.

A windmill in sec. 8, bears N. 41° 05' W.

N. 0° 35' E., bet. secs. 8 and 9.

Descend 25 ft. over gently rolling NE. slope in Fish Lake Valley,
through light undergrowth.

39.81

The $\frac{1}{4}$ sec. cor. of secs. 8 and 9, monumented with a length of mine rail track, 18 ins. above ground, firmly set, in an old mound of earth. Find no other evidence of the original corner.

This now in addition becomes the point for Cor. No. 5 of Tract 41
and Cor. No. 3 of Tract 42.

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground,
with brass cap marked