

## Dependent Resurvey of Subdivisions of T. 9 N., R. 45 E.

Chains	
	<p>From the cor. of secs. 26, 27, 34, and 35.</p> <p>North, bet. secs. 26 and 27.</p> <p>Over rolling mountainous land, through dense undergrowth and scattering timber, asc. gradually over a general S. slope, 40 ft.</p>
16.70	Unimproved road, bears N. 65° W. and S. 65° E.; asc. 40 ft. over a general S. slope.
33.00	Unimproved road, bears N. 65° W. and S. 65° E. from Belmont to Silver Creek; asc. 30. ft.
40.00	<p>Record distance. No evidence of the original <math>\frac{1}{4}</math> sec. cor. was found.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock and supported in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} \frac{1}{4} \\   \\ S27 \quad   \quad S26 \\   \\ 1939 \end{array}</math> </div> <p style="text-align: right;">from which</p> <p>A pinon pine, 3 ins. diam., bears S. 18° E., 108 lks. dist., mkd. <math>\frac{1}{4}</math> S 26 BT.</p> <p>A pinon pine, 5 ins. diam., bears S. 15<math>\frac{1}{2}</math>° E., 235 lks. dist., mkd. <math>\frac{1}{4}</math> S 26 BT.</p> <p>A pinon pine, 3 ins. diam., bears N. 28<math>\frac{3}{4}</math>° W., 41 lks. dist., mkd. <math>\frac{1}{4}</math> S 27 BT.</p> <p>A pinon pine, 5 ins. diam., bears N. 11<math>\frac{1}{2}</math>° W., 86 lks. dist., mkd. <math>\frac{1}{4}</math> S 27 BT.</p> <p>Land, rolling mountainous. Soil, sandy, gravelly and rocky; 4th rate. Timber, juniper and pinon pine; undergrowth, sagebrush. Grazing, good.</p>
Survey completing the Subdivision of T. 9 N., R. 45 E.	
	<p>From the cor. of secs. 12 and 13.</p> <p>North, along W. bdy. of sec. 12.</p> <p>Over mountainous land, through scattering timber and dense undergrowth, asc. 25 ft.</p>
5.00	Point of low spur, slopes SE.; asc. 290 ft. over a general broken rocky SE. slope.
25.10	Top of spur ridge, slopes S. 60° E.; desc. 200 ft. over N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 23 ins. in the ground, for $\frac{1}{4}$ sec. cor. for sec. 12 only, with brass cap mkd.