

Dependent Resurvey of the 9th Standard Parallel North, Through R. 65 E.  
T. 45 N., R. 65 E.

## Chains

- 48.05 The closing cor. of Ts. 45 N., Rs. 65 and 66 E., hereinafter described.
- 48.10 Desc. 100 ft. over NE. slope changing to N. slope.
- 70.30 Wash, course NW.; asc. 80 ft. over W. slope.
- 79.83 The standard cor. of Ts. 46 N., Rs. 65 and 66 E., a lava stone, 10x16x20 ins., set 6 ins. in the ground and in a mound of stone, and mkd. with 6 notches on E., W., and N. edges.
- At point for cor.
- Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with the original mkd. stone deposited at base, for standard cor. of Ts. 46 N., Rs. 65 and 66 E., with brass cap mkd.

S C  
T46N  
R65E R66E  
S36 | S31

1940

raise a mound  
of stone, 2 ft. base, 1½ ft. high, N. of cor.

Land, rolling mountainous.  
Soil, gravelly and rocky; 3d and 4th rate.  
Timber, none.  
Undergrowth, sagebrush.  
Grazing, fair.

Dependent Resurvey of E. Bdy., T. 45 N., R. 65 E.

Reestablishment of the Survey Executed by Deputy Surveyors Monroe and McClellan in 1882.

Begin the resurvey of the E. bdy. at the cor. of Ts. 44 and 45 N., Rs. 65 and 66 E., a granite stone, 12x9x4 ins., firmly set in the ground and mkd. with 6 notches on N., E., W. and S. edges.

At point for cor.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with the original mkd. stone deposited at base for cor. of Ts. 44 and 45 N., Rs. 65 and 66 E., with brass cap mkd.

T45N  
R65E R66E  
S36 | S31  
S 1 | S 6

T44N

1940

from which

A juniper, 7 ins. diam., bears N. 50¼° E., 233 lks. dist., mkd. T45N R66E S31 BT.

A juniper, 3 ins. diam., bears S. 9¼° E., 325 lks. dist., mkd. BT.

A juniper, 12 ins. diam., bears S. 38° W., 288 lks. dist., mkd. T44N R65E S1 BT.

A juniper, 4 ins. diam., bears N. 0½° W., 264 lks. dist., mkd. T45N R65E S36 BT.

N. 1° 39'E., bet. secs. 31 and 36. (S. ½ mile.)