

## Independent Resurvey of the East Boundary of T. 15 N., R. 60 E.

Chains

A juniper, 6 ins. diam., bears N.  $42\frac{1}{2}^{\circ}$  W., 318 lks. dist.,  
mkd.  $\frac{1}{4}$  S1 BT.

No other bearing tree available.

Dig a circular trench, 5 ft. diam., 1 ft. deep, and raise a  
flat mound of earth around the iron post.

Desc. 35 ft. over NW. slope.

63.10 Wash, 30 lks. wide,  $2\frac{1}{2}$  ft. deep, in open valley 3.50 chs. wide,  
drains N.  $60^{\circ}$  W.

64.00 Dirt road, bears N.  $60^{\circ}$  W. and E.

68.80 Dirt road, bears N.  $60^{\circ}$  W. and S.  $60^{\circ}$  E.

80.00 Point for the 1/16 sec. cor. of secs. 1 and 6.

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the  
ground, with brass cap mkd.

1/16  
S 1 | S 6  
80  
1953

from which

A juniper, 6 ins. diam., bears N.  $65\frac{1}{2}^{\circ}$  W., 170 lks. dist.,  
mkd. 1/16 S1 80 BT.

A juniper, 6 ins. diam., bears S.  $37^{\circ}$  E., 86 lks. dist.,  
mkd. 1/16 S6 80 BT.

Dig a circular trench, 5 ft. diam., 1 ft. deep, and raise a  
flat mound of earth around the iron post.

Cor. is situated on crest of a flat spur which slopes NW.

Desc. 35 ft. over NW. slope.

89.20 Wash, 5 lks. wide, 6 ins. deep, drains N.  $30^{\circ}$  W.

89.32 Intersect the Third Standard Parallel North, on the S. Bdy. of  
sec. 36, T. 16 N., R. 60 E.

Point for the closing cor. of Ts. 15 N., Rs. 60 and 61 E.

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the  
ground, with brass cap mkd.

T16N R60E  
S36  
S1 | S6  
R60E | R61E  
T15N  
CC  
1953

from which

A juniper, 6 ins. diam., bears S.  $48^{\circ}$  W., 271 lks. dist.,  
mkd. T15N R60E S1 CC BT.